



# Letting air through. Keeping moisture out!



Thysis Building Products supply a wide range of pitched roof ventilation products from our manufacturing plant in York.

With many year's manufacturing experience in the roofing industry, working closely with some of the UK's leading roofers and distributors we are confident we can provide you with all your roofing ventilation needs.

Our comprehensive range includes; Fast-Fix Dry Verge System, Fast-Fix Dry Ridge System, Fast-Fix Eaves Protection and Ventilation Products, Multi-Fit & Bespoke Tile Ventilators for slate and tile roofs.

All our products have been designed with the roofing professional in mind. We fully appreciate time is money. As such, all our products are quick and straightforward to fit, competitively priced, without compromise to quality or building regulations and are readily and easily available.

*New for 2013*

MultiFIT

FASTFIX

## Ventilated Tile Range

Each tile in the new Multi-Fit range will fit most major manufacturer's tiles. Lowline or Cowl available in Terracotta, Slate Grey, Red and Brown as standard. From stock delivered in days not weeks!



### Double Roman

Matches:

- Marley Double Roman
- Sandtoft Double Roman
- Redland 50 Double Roman
- Russell Double Roman

### Profile

Matches:

- Redland Renown
- Russell Cheviot
- Marley Ludlow
- Sandtoft Lindum



### Flat

Matches:

- Russell Galloway, Grampian, Lotian, Moray
- Marley Modern
- Sandtoft Plain
- Redland Stonewold

### Double Pantile

Matches:

- Sandtoft Double Pantile
- Redland Double Pantile, Grovebury
- Russell Penine
- Marley Mendip



## Ventilated Tile Range

We have a mould to match almost any tile. But don't worry if you find a unique one, we will make and colour match. Send us a picture or a sample tile and we will do the rest. What's more we will probably turn it around faster than you would expect to have to wait for a standard ventilated tile.



### Universal Tile Ventilators

Designed to be unobtrusive and for use with the majority of manufacturers' profiles and colours.

Available as 10k or 20k Cowl and new Solar tiles.

Moulded in 'HIPS' with UV stable paint to suit most colours.

### Plain Tile Ventilators

Injection moulded offering precision and strength.

Designed to suit all plain clay tiles and can be fitted without cutting the tiling battens. Suitable for pitches of 30° and above.



### Slate Ventilators

Designed to be both unobtrusive and practical.

Available as Low Line or Raised Cowl in Riven or Pinseal finishes in all standard slate sizes.

The low line 10k ventilation area is virtually flat with the sheet, whilst the 10k and 20k cowl type have patented 'anti-splash sleeve' devices and fly screen protection.



# FAST-FIX

## New Fast-Fix Dry Verge Kit

The Thysis Dry Verge System is designed for use with most large profiled interlocking slates and tiles (including larger clay tiles) laid at a gauge of between 265mm and 345mm and are suitable for use on new build or refurbishment projects.

Ever turned up at a job only to find you have right hands but no left, no starter units or you've brought an angled ridge end cap when you need a half round?

The new Thysis Fast-Fix Dry Verge Kit has been designed to alleviate these problems. Everything you need for a standard roof is in the new Fast-Fix Dry Verge Kit (including a choice of angled and half round caps).

### Box contents:

25 right hand, 25 left hand, 1 half round cap, 1 angled end cap, 2 eaves starter units, 1 left hand closure, 1 right hand closure. All packed in a robust double corrugated box with full fitting instructions.

Available in Slate Grey, Brown, Terracotta, White and Black.

**Ask about our Continuous Slate Dry Verge.**

## New Fast-Fix Dry Ridge Kit

The new Thysis Fast Fix Dry Ridge Kit is a truly universal dry ridge system, featuring a high quality 6 metre ventilated ridge roll with pumped butyl to ensure the best water seal.


Specially strengthened universal ratchet unions give superior strength and durability whilst making sure clay and concrete ridge tiles present no problems.

### Box contents:

6 metre ridge roll, 10 ridge batten brackets, 13 universal ridge unions with ratchet clips, 80mm x 5mm stainless steel screws, galvanised 30mm C/H nails and full fitting instructions.

Materials packed into a robust double corrugated box that won't fall apart if it gets wet.

**Ask about our Hip Trays and Kits.**



- Manufactured from UV Stabilised Co-Polymer Polypropylene
- Easy clip together feature, saving time
- Secure fixing, offering better resistance to wind uplift
- Compatible with wet or dry fix ridges
- Largest range between batten gauges on the market

Now available in handy kit form



# FASTFIX

## NEW Improved OVEP One-Fix System

The Thysis OVEP One-Fix System cuts out the potential requirement for three separate fixings, thereby reducing labour costs. Environmentally, UV stable polypropylene – made from 100% re-processed material.

Unique 'Split Skirt' feature, which allows 240mm sections to be easily lifted to enable easy installation of gutter brackets. Strengthening ribs on underside are designed not to interfere with installation of gutter brackets.

Engineered nail/screw ports with 'sleeves' to guide fixings into the centre of the fascia edge. Suitable for use with both full replacement fascia boards and capping fascia of all sizes.



Strong and durable – designed to resist water ingress and ponding, with an easy fit overlapping engagement. New 'softened' bird comb bends easily under weight of any tile without the need for trimming.

## New Fast-Fix Over Fascia Vents

The new Thysis Fast-Fix 10mm and 25mm Continuous Over Fascia Vents have a unique low profile design for minimum disruption to the eaves detail. Almost undetectable once installed it still allows a continuous 10mm/25mm air gap.

Extremely strong to resist weight of tiles and crushing by foot traffic. Lightweight and resistant to corrosion and rotting. An integral 4mm grill prevents entry of large insects, birds or rodents into the roof.

The 10mm vent is suitable for conventional cold roofs. The 25mm vent is suitable for warm roofs, flat roofs and for roof pitches below 15°.



Suitable for buildings with or without soffit overhang, new or refurbished, and buildings with corbelled eaves situations. The use of over fascia vents allows shallower fascia boards to be used.

Made from 100% re-processed material. Now available in 1m and 0.5m lengths.

The new features include a unique 'slide-on' action, which allows for a secure fast-fix aiding speedy and accurate fitting.

**01759 377233**  
**[www.thysis.co.uk](http://www.thysis.co.uk)**



MulTiFIT  
FASTiFIX

**Call us now to place your order or for assistance**

Our experienced team is here to answer any service or technical questions you may have:

**01759 377233**  
**[www.thysis.co.uk](http://www.thysis.co.uk)**

